

Aker Brygge

# Roadside shelter

- create brand awareness



Aker Brygge

# Roadside shelter

## - measurements & settings

### Important information

Please see illustrations on the next page before setting up the design files.

### Eurosize

1185 x 1750 mm x2 (2 units), visible area: 1160x 1710 mm

### Side wall

1035 x 2040 mm x2 (2 units)

### Large wall

3780 x 2100 mm x2 (2 units). See illustration on next page for cutout areas.

### Roof

605 x 1600 mm x6 (6 units)

### Visible area

Same as format

### Settings

Document is preferably made in 1:1, 1:2 or 1:10 (adjust DPI accordingly)

Effective DPI: 100 or higher

CMYK color code

5 mm bleed

Fonts must be vectorized (saved as text contours)

### Material deadline

At least 9 working days before the campaign commences.

Send files to: [motiv@jcdecaux.com](mailto:motiv@jcdecaux.com)

### Delivery notes

The high-resolution PDF must be named

[ADVERTISER\\_YEAR\\_WEEK\\_PRODUCT\\_FORMAT](#)

Aker Brygge


# Roadside shelter

## - outside illustrations

Outside: Left view



Outside: Right view




Aker Brygge

# Roadside shelter

## - inside illustrations

Inside: Left view



Inside: Right view

